

**L'Botanique Moisturizing Face Cream**

Covalent CBD
MME ID: NV20222331140
Topical, Lotion

Sample: DIGP2202.0166.T.01191
Sample Date: 02/17/2022 Report Date: 02/22/2022
METRC Sample:
Lot # **MFC220215**; Production Run #: MFC220215;

Potency Test Results**Cannabinoid Test Results****Terpene Test Results****Not Tested**

<LOQ	1.522%
Total Potential THC	Total Potential CBD
<LOQ	<LOQ
THCa	CBDa

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 unit, 51g

Analyte	LOQ	Mass %	Mass mg/unit
THCa	<LOQ	<LOQ	<LOQ
Δ9-THC	<LOQ	<LOQ	<LOQ
Δ8-THC	<LOQ	<LOQ	<LOQ
THCV	<LOQ	<LOQ	<LOQ
CBDa	<LOQ	<LOQ	<LOQ
CBD	1.522	1.522	776.22
CBDV	0.027	0.027	13.52
CBN	<LOQ	<LOQ	<LOQ
CBGa	<LOQ	<LOQ	<LOQ
CBG	<LOQ	<LOQ	<LOQ
CBC	<LOQ	<LOQ	<LOQ
Total		1.549	789.74

Total Potential THC = (THCa * 0.877) + d9-THC + d8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Gender	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested		

CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508

Total Potential THC	CBN	Total Potential CBD
<LOQ	<LOQ	1.522%

Scan to View Results



I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.



Accreditation #99721

Sherrí Defreese
Sherrí Defreese
Scientific Director

All pass/fail limits are as specified in NCCR, NAC 453A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.